



Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 1149-12031239



HEIZUNGEN 1-7		TEMPERATUR	
ZONE	SOLL (°C)	IST (°C)	STATUS
Zone	40	***	H
Zylinder	240.0	240.0	□□□□ EIN
Zylinder	240.0	240.1	□□□□ EIN
Zylinder	235.0	235.2	□□□□ EIN
Zylinder	235.0	235.1	□□□□ EIN
Zylinder	0.0	***	H □□□□ AUS
MAX. POS. TEMPERATURABWEICHUNG		15.0 °C	
MAX. NEG. TEMPERATURABWEICHUNG		15.0 °C	
ABSENKEN AUF		230.0 °C	AUS
Traverse	40.0	40.3	□□
MAX. POS. TEMPERATURABWEICHUNG		10.0 °C	
DLTEMPERATUR		44.7	□□□□
MINIMALTEMPERATUR		30.0 °C	
MAXIMALTEMPERATUR		60.0 °C	
SCHNECKE : Barriere		SDH=	40.0 mm

Overview and Technical Data:

ENGEL - ES 330/80 HL-SL Injection Moulding Machine

ENGEL

ENGEL

Year of Build: Jan 2000



Description:

Used ENGEL ES 330 / 80 HL Injection moulding machine

Operating Hour: 144.199

Technical Data:

- Screw diameter: 35 mm
- Dosing path: 160 mm
- Dosing revolutions: 20-320 r / min
- Injection weight: 154 cm³ / 140g
- Clamping force: 800 kN
- Opening distance max .: 310 mm
- Ejector path: 100 mm
- Tool size max .: 430 mm
- Tool size min .: 150 mm
- The size of the plates: 570x552 mm
- Distance between columns: 405/345 mm
- Power consumption: 15 kW
- Oil: 155 l
- Length x width x height 6000 x 1850 x 2000 mm

The machine has been running in BRC/HACCP certified clean room for a long time.

Seamless maintenance has always occurred.

The machine is still producing and, no leaks etc. are visible.



Technical Data:

Technical Data:

Control: CNC
Machine Hours: 144199

Dimensions and Weight:


Height: 2.000 mm
Length: 6.000 mm
Width: 1.850 mm
Weight: 5.300 kg

Buyer Information:

Condition: Very good condition
Available: Immediately
Sold as:
EXW (Ex Works - Incoterm)
VAT: 19 %
Buyers Premium: 16 %
Location: Germany



Images:








A

e

Assets





Video:





Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33