



# Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 144811242023

 **TAKISAWA**  
TT-500GD

**Overview and Technical Data:**

**Used TAKISAWA TT-500 GD CNC Lathe for Sale**

**TAKISAWA**

Year of Build: Apr 2018



## Description:

### **Used TAKISAWA TT-500 GD CNC lathe with two integrated loading gantries**

CNC control FANUC Oi-TF

Technical data:

- Drive power: 3.7/ 7.5 KW ( each spindle )
- Speeds: 5,000 min /-1 ( each spindle )
- Spindle noses F-80 ( each spindle )
- 5-fold linear turret ( each spindle )
- Closed clamping cylinder Kitagawa Y0715RE ( each spindle )
- Closed chuck Kitagawa N-05 ( each spindle )
- M - function to open/close the chuck ( each spindle )
- Foot switch for chuck ( each spindle )
- Chuck blow-out via M-command ( each spindle )

Standard accessories

- Hinged belt - chip conveyor to the rear
- Spindle orientation
- 3-colour operating status light
- Automatic machine switch-off,
- Tool holder package
- Raku Raku monitor
- Automatic centralised lubrication,
- Machine panelling with coolant pump,
- Cast construction (Meehanite casting),
- Hardened slideways,
- Turcite-coated opposite side
- Work area lighting,
- Machine documentation,
- Integrated alignment screws and shims,
- Operating instructions,
- CE conformity

**Gantry loader**



- 1 gantry loader type D
- Raku Raku loader
- Turning station
- Automatic loading and unloading door (each spindle)
- Deposit chute for test part

---

The **TAKISAWA TT-500GD** supports 5" chuck, which is minimum in parallel twin-spindle CNC lathe TT series. A twin gantry provided as standard is optimum for workpieces with short machining tact time, and the loading time is accelerated to 2.5 seconds. So, the non-cutting time is further reduced.

The high accuracy comb type tool slide is equipped. Non-cutting time can be reduced compared with the turret type. Five tools can be mounted, sufficient for small parts machining.



## Technical Data:

### Technical Data:

Control: CNC  
Machine Hours: 12600.00 hrs.  
Turning length: 50.00 mm  
Turning diameter: 50.00 mm  
Spindle Speed: 5000.00 rpm  
Tool Capacity: 10 x  
Tailstock: No  
Bezel: No

### Dimensions and Weight:


Height: 2145 mm  
Length: 2560 mm  
Width: 2512 mm  
Weight: 4300 kg

### Buyer Information:

Condition: Very good condition  
Available: Immediately  
Sold as:  
EXW (Ex Works - Incoterm)  
VAT: 19 %  
Buyers Premium: 18 %  
Location: Germany



## Images:





# Asset-Trade

Assessment & Sale of Used Assets



# Asset-Trade

Assessment & Sale of Used Assets

QR Code for <https://www.asset-trade.de/en/print/pdf/node/7765>

**Asset-Trade**

**Assessment and Sale of Used Assets world  
wide**

**Am Sonnenhof 16**

**47800 Krefeld**

**Germany**

**Tel.: +49 2151 32500 33**