



Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 1449-11261419

Overview and Technical Data:

Used TRAUB TNA 500 CNC Lathe for Sale

TRAUB

INDEX

TRAUB

Year of Build: Jan 1996



TNA 500



Description:

Used TRAUB TNA 500 CNC Lathe for Sale

CNC Controls Traub System TX8F

Technical Data;

- Main spindle
 - Turning length: 1000 mm
 - Chuck diameter; 250 / 315 mm
 - Spindle passage (max. bar diameter); 80 mm
 - Connected load: 42 kW
- Main drive
 - Speed range up to; 2800 rpm
 - Max. torque; 545 Nm



Technical Data:

Technical Data:

Control: CNC TX8F
Machine Hours: 85018.00 hrs.
Spindle Hours: 32339.00 hrs.
Turning length: 1000.00 mm
Turning diameter: 315.00 mm
Spindle Speed: 2800.00 rpm
Driven Tools: 12.00
Tool Capacity: 12 x
Tailstock: Yes
Bezel: Yes

Dimensions and Weight:


Height: 2147 mm
Length: 5500 mm
Width: 2287 mm
Weight: 6800 kg

Buyer Information:

Condition: Very good condition
Available: Sold
Sold as:
EXW (Ex Works - Incoterm)
VAT: 19 %
Buyers Premium: 18 %
Location: Germany



Images:





As

e

Assets



6




7



8



9



10



11



As

e

Assets



12

Technische Daten

| | TNA 500 | TNA 600 |
|--------------------------------------------------------------|--------------------------|---------|
| Arbeitsbereich | | |
| max. Drehlänge | mm 1000 | 1000 |
| Spindelstichhöhe der Arbeitsspindel | mm 80 | 100 |
| Durchmesser im vorderen Lager | mm 140 | 170 |
| Spannfutterdurchmesser Standard | mm 250/315 | 315/400 |
| Hauptantrieb | | |
| Drehstrommotor, ohne Getriebe stufenlos programmierbar | 31 | 31 |
| Leistung | kW 1 - 4,5 | 1 - 4,5 |
| Bereich konstanter Leistung | min ⁻¹ 2800 | 2800 |
| max. Spindel Drehzahl | Nm 645 | 682 |
| max. Drehmoment | Nm 769 | 991 |
| max. Drehmoment 25% ED | | |
| Drehstrommotor, mit Getriebe stufenlos programmierbar | | |
| Leistung bei | kW 37 | 37 |
| Bereich konstanter Leistung | min ⁻¹ 1 - 16 | 1 - 16 |
| max. Spindel Drehzahl | Nm 3150 | 2800 |
| max. Drehmoment | Nm 1790 | 2520 |
| Vorschubantrieb | | |
| X-Achse Schlitten S1 | | |
| Eigang und Bahngeschwindigkeit | mm/min 15000 | 15000 |
| Vorschubkraft bei 100% ED | N 8000 | 8000 |
| Vorschubweg | mm 320 | 320 |
| Kugelführtrieb (Ø x Steigung) | mm Ø32x10 | Ø32x10 |
| Z-Achse Schlitten S1 | | |
| Eigang und Bahngeschwindigkeit | mm/min 20000 | 20000 |
| Vorschubkraft bei 100% ED | N 12500 | 12500 |
| Vorschubweg | mm 1070 | 1070 |
| Kugelführtrieb (Ø x Steigung) | mm Ø40x10 | Ø40x10 |

13



14



15



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33