



Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 1449-11261419

Overview and Technical Data:

Used TRAUB TNA 500 CNC Lathe for Sale

TRAUB

INDEX

TRAUB

Year of Build: Jan 1996



TNA 500



Description:

Used TRAUB TNA 500 CNC Lathe for Sale

CNC Controls Traub System TX8F

Technical Data;

- Main spindle
 - Turning length: 1000 mm
 - Chuck diameter; 250 / 315 mm
 - Spindle passage (max. bar diameter); 80 mm
 - Connected load: 42 kW
- Main drive
 - Speed range up to; 2800 rpm
 - Max. torque; 545 Nm



Technical Data:

Technical Data:

Control: CNC TX8F
Machine Hours: 85018.00 hrs.
Spindle Hours: 32339.00 hrs.
Turning length: 1000.00 mm
Turning diameter: 315.00 mm
Spindle Speed: 2800.00 rpm
Driven Tools: 12.00
Tool Capacity: 12 x
Tailstock: Yes
Bezel: Yes

Dimensions and Weight:


Height: 2147 mm
Length: 5500 mm
Width: 2287 mm
Weight: 6800 kg

Buyer Information:

Condition: Very good condition
Available: Sold
Sold as:
EXW (Ex Works - Incoterm)
VAT: 19 %
Buyers Premium: 18 %
Location: Germany



Images:





As

e
Assets



6




7



8



9



10



11



Asset-Trade

e

Assets



12

Technische Daten

| | TNA 500 | TNA 600 |
|--|-------------------|---------|
| Arbeitsbereich | | |
| max. Drehlänge | 1000 | 1000 |
| Spindelstichhöhe der Arbeitsspindel | 80 | 100 |
| Durchmesser im vorderen Lager | 140 | 170 |
| Spannfutterdurchmesser Standard | 250/315 | 315/400 |
| Hauptantrieb | | |
| Drehstrommotor, ohne Getriebe stufenlos programmierbar | 31 | 31 |
| Leistung | kW | 31 |
| Bereich konstanter Leistung | min ⁻¹ | 1 - 4,5 |
| max. Spindelstichzahl | 2800 | 2800 |
| max. Drehmoment | Nm | 682 |
| max. Drehmoment 25% ED | Nm | 991 |
| Drehstrommotor, mit Getriebe stufenlos programmierbar | 37 | 37 |
| Leistung bei | kW | 37 |
| Bereich konstanter Leistung | min ⁻¹ | 1 - 18 |
| max. Spindelstichzahl | 1790 | 2520 |
| max. Drehmoment | Nm | 2520 |
| Vorschubantrieb | | |
| X-Achse Schlitten S1 | | |
| Eigang und Bahngeschwindigkeit | mm/min | 15000 |
| Vorschubkraft bei 100% ED | N | 8000 |
| Vorschubweg | mm | 320 |
| Kugelfuhrtrieb (Ø x Steigung) | mm | Ø32x10 |
| Z-Achse Schlitten S1 | | |
| Eigang und Bahngeschwindigkeit | mm/min | 20000 |
| Vorschubkraft bei 100% ED | N | 12500 |
| Vorschubweg | mm | 1070 |
| Kugelfuhrtrieb (Ø x Steigung) | mm | Ø40x10 |

13



14



15



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33