



# Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 1425-06201700

## Overview and Technical Data:

Used ULMER SF40 REINECKER End profile grinding machine

ULMER

 **ULMER**  
WERKZEUGSCHLEIFTECHNIK

Year of Build: Jan 2018



## Description:

### Buy used ULMER SF40 REINECKER | CNC end machining machine

If you are looking for a REINECKER end machining machine for the precise machining of cylindrical tools, then the used ULMER SF40 REINECKER is the ideal choice. Buying this end machining machine means investing in a powerful and reliable machine that efficiently handles a wide range of tool machining tasks. Whether for solid carbide, HSS or ceramics – the ULMER SF40 enables the machining of tips, chamfers and radii with the highest precision.

#### Technical data:

- Travel paths:
  - X-axis 450 mm
  - Z-axis 250 mm
- Resolution:
  - X, Z-axis: 0.001 mm
  - C-axis: 0.001°
- Rapid traverse X / Z: 15 / 30 m/min.
- Grinding spindle:
  - Motor spindle  $\varnothing$  x length: 140 x 300 mm
  - Drive power S6: 14 kW / 170 Hz
  - Speed ??continuously variable: 1,000 to 7,500 min<sup>-1</sup> / 250 Hz
  - Torque const.: 27 Nm to 5,000 min<sup>-1</sup>
  - Grinding wheel  $\varnothing$  max.: 350 mm
  - Cutting speed: <140 m/s
- Workpiece spindle (C-axis):
  - Mounting taper: SK50
  - Speed ??max.: 3,000 min<sup>-1</sup>
  - Max. torque: 28 Nm
- Dimensions WxDxH: 1,900 x 1,900 x 1,900 mm
- Accessories:
  - Control and software NUMROTO Plus cylindrical grinding, loader, in-process measuring
  - Probe for process-related measuring, including touch cycles
  - 3D collision monitoring
  - Interpolating C-axis



- Balancing system for grinding wheel in the machine
  - Automatic chain loader
  - Automatic bar feed
  - Coolant pressure increase
  - Oil pan
  - K&B fire extinguishing system including fire damper
  - Connections for central coolant supply and oil mist extraction
  - Collet chuck W20 UP
  - Hydro expansion chuck Schunk
  - General:
    - The machine is functional, in very good condition and can be inspected by appointment.
- 

## The ULMER end machining machine SF 40 REINECKER stands for:

- Creation of tips, chamfers, radii and their combination at the ends of cylindrical tools made of solid carbide, HSS and ceramic.
- Grinding unit with a liquid-cooled motor spindle.
- Variable spindle arrangement of the grinding unit for more flexibility, parallel or vertical.
- Up to four different grinding wheels can be mounted on one holder.
- Use of different chuck clamping systems.
- Measuring probe for recording the axial workpiece position and angular position of the cooling channels.
- Automatic loading devices are available as an option.
- NUM Flexium+ CNC control with powerful NUM DriveX drives and integrated NUM-Safe safety architecture.

## Special features:

- The ULMER SF40 REINECKER is a high-precision tool grinding machine that offers high machining quality thanks to its powerful motor spindle and flexible spindle arrangement.
- With the option of mounting up to four different grinding wheels on one holder,



## Technical Data:

### Technical Data:

Control: CNC

### Dimensions and Weight:

Height: 1.900 mm

Length: 1.900 mm

Width: 1.900 mm

Weight: 4.000 kg

### Buyer Information:

Condition: Very good condition

Available: Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT: 19 %

Buyers Premium: 18 %

Location: Germany



## Images:






As

e



assets





Asset-Trade

Assets





A

e

ssets



18



19



20




21





Video:







# Asset-Trade

Assessment & Sale of Used Assets



**Asset-Trade**

**Assessment and Sale of Used Assets world  
wide**

**Am Sonnenhof 16**

**47800 Krefeld**

**Germany**

**Tel.: +49 2151 32500 33**