


Ref. No.: 1301-01311200





Description:

Buy Complete Coal Power Station with 5 MW Steam-Turbine and Electric Power Generator

High-pressure radiation boiler with traveling grate firing system Water tube boiler with natural circulation

The total hours of operation: 282.720 hours

The last major overhaul date (Turbine): Summer 2019

The last generator rewind date: Rotor: Summer 2017 rewind, Stator: 2007 small repair

winding

Year of construction 1985 / frequently modernized and updated !!

Technical data of Boiler:

Steam capacity max continuous: 30 tons/hour

Steam capacity temporary peak: 34 tons/hour

• Permissible operating pressure: 90 bar

Hot steam temperature: 500 °C

• Permissible heat output: 27.6 MW

Feed water temperature: 105-130 °C

Operating days / year: approx. 300 days

Fuel: hard coal

Days of Operation per year: 300 days

Coal/Fuel Data:

Storage capacity: 2.000 tonsDaily consumption: 80-100 tons

• Trough chain conveyor: 40/80 tons/hour

Flue gas cleaning unit:

• 2 zones electric separator

Page 2



- Flue gas discharge via induced draft speed controlled
- Frequently modernized and updated
- Chimney mouth: 70,5m

Feed water supply:

- full desalination: 2x 15m³/h
 mixed bed filter: 2x 30 m³/h
- Condensate cooling by air preheating
- Feed water tank useful capacity: 30 m³
- Full load pump
 - o 1x width E-drive speed controlled
 - o 1x with turbo drive speed controlled, with quick start device

AEG - KANIS - back pressure turbo type G16

Year of construction 1984 / frequently modernized and updated

to drive a three-phase synchronous generator

Technical data AEG LDW (SIEMENS):

• Pumping capacity: 34 t/h

Overpressure at inlet: 76 bar

Overpressure at outlet: 2,5-7.5 barRotational speed: 12.000/1500 min-1

Voltage: 10.5 KV

Terminal power max: 5.200 KW

Technical data AEG steam turbine:

Turbine power: 5.275 kW

• Turbine speed: 12.107 min -1

• Turbine high speed: 13318 min -1

• Turbine steam pressure: 78 bar

Suction steam temperature: 490 -500 °C

- Turbine exhaust steam pressure 3.5 8.5 bar
- Direction of rotation left, seen in direction of turbine-gear-generator

The Power Station is still in use and can be inspected by appointment in the South of Germany. It will become available for dismantling in 2024.

Page 3

Generated on 17.05.2024



Advantages of Steam Power Plants:

- Fuel used is cheaper.
- They can respond quickly with changes in load on the plant.
- Space required is less compared to hydro power plants.
- A portion of steam can be used as process steam for various industries.
- They can be overloaded up to 20% without difficulty. Cost of electric power generation and its initial cost is less compared to diesel plants.
- Can be located near the load centre conveniently thus reduces the transmission line cost and loss of energy in transmission lines.

Generated on 17.05.2024 Page 4



Technical Data:

Technical Data:

Control: CNC

Buyer Information:

Condition: Very good condition

Available: On Request

Sold as:

EXW (Ex Works - Incoterm)

VAT: 19 %

Buyers Premium: 8 % Location: Germany



Images:











Page 6






























Page 8


































































Generated on 17.05.2024 Page 13



Video:



Generated on 17.05.2024 Page 14



		-						1												4													10						
(Į.	≺	C	OC	le	tΟ	r	nti	tb	S:	II°	W	W	W	1,6	15	S	e	te	tr	a	d	е.	d	e	e	n	b	rı	n	7/	00	ÌŤ	m	10	C	e/	21	4

Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33